

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	secure adj delivery and IBM.as.	US-PGPUB; USPAT	OR	ON	2004/12/13 08:31
S2	3	secure adj delivery and dutta.in.	US-PGPUB; USPAT	OR	ON	2004/12/09 16:05
S3	31	"International Business Machines Corporation".as. and secure adj delivery	US-PGPUB; USPAT	OR	ON	2004/12/09 16:05
S4	21	"International Business Machines Corporation".as. and secure adj delivery and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/09 15:21
S5	18	"International Business Machines Corporation".as. and secure adj delivery and @ad<"20010301" and private adj key	US-PGPUB; USPAT	OR	ON	2004/12/09 15:21
S6	11	"International Business Machines Corporation".as. and secure adj delivery and @ad<"20010301" and sender\$4 adj private adj key	US-PGPUB; USPAT	OR	ON	2004/12/09 15:21
S7	216	dutta.in. and "International Business Machines Corporation".as.	US-PGPUB; USPAT	OR	ON	2004/12/09 16:06
S8	60	dutta.in. and "International Business Machines Corporation".as. and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/09 16:38
S9	0	dutta.in. and "International Business Machines Corporation".as. and @ad<"20010301" and sender\$4 adj (public or private) adj key	US-PGPUB; USPAT	OR	ON	2004/12/09 16:07
S10	2	dutta.in. and "International Business Machines Corporation".as. and @ad<"20010301" and (public or private) adj key	US-PGPUB; USPAT	OR	ON	2004/12/09 16:08
S11	3	dutta.in. and encryption and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/09 16:39
S12	272	encryp\$6 and key adj pair same sender\$4	US-PGPUB; USPAT	OR	ON	2004/12/09 16:42
S13	121	encryp\$6 and key adj pair same sender\$4 and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/09 16:42
S14	90	encryp\$6 and key adj pair same sender\$4 same (recipient\$4 or receiver\$4) and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/09 16:48
S15	26	encryp\$6 and private near3 public near3 key adj pair same sender\$4 same (recipient\$4 or receiver\$4) and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/09 16:57
S16	1	"4200770".pn.	US-PGPUB; USPAT	OR	ON	2004/12/09 18:25

S17	8	package near2 deliver\$4 and diffie adj hellman	US-PGPUB; USPAT	OR	ON	2004/12/09 18:26
S18	64	package near2 deliver\$4 and (diffie adj hellman or PKI or public adj key adj encryption)	US-PGPUB; USPAT	OR	ON	2004/12/09 18:28
S19	36	package near2 deliver\$4 and (diffie adj hellman or PKI or public adj key adj encryption) and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/09 18:32
S20	28	(parcel or package) near deliver\$4 and public adj key same encryption and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 10:17
S21	1	"4,853,961".pn.	US-PGPUB; USPAT	OR	ON	2004/12/09 19:00
S22	1	"4,405,829".pn.	US-PGPUB; USPAT	OR	ON	2004/12/09 19:00
S23	5	("5673316" "5889941" "5912974" "6069955" "6081610").pn.	US-PGPUB; USPAT	OR	ON	2004/12/09 19:50
S24	3	(parcel or package) near deliver\$4 and symmetric adj key same encryption and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 10:33
S25	3	(parcel or package) near deliver\$4 and symmetric adj (encryption adj key or key) same encryption and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 10:18
S26	0	(parcel or package) near deliver\$4 and key same encryption and @ad<"20010301"	IBM_TDB	OR	ON	2004/12/10 10:21
S27	0	(parcel or package) near deliver\$4 and @ad<"20010301"	IBM_TDB	OR	ON	2004/12/10 10:21
S28	0	encryption and @ad<"20010301"	IBM_TDB	OR	ON	2004/12/10 10:21
S29	273	encryption	IBM_TDB	OR	ON	2004/12/10 10:21
S30	6	package near deliver\$4	IBM_TDB	OR	ON	2004/12/10 10:21
S31	0	(parcel or package) near deliver\$4 and symmetric adj key same encryption and @ad<"20010301"	EPO; JPO; DERWENT	OR	ON	2004/12/10 10:34
S32	0	(parcel or package) near deliver\$4 and public adj key same encryption and @ad<"20010301"	EPO; JPO; DERWENT	OR	ON	2004/12/10 10:34
S33	0	(parcel or package) near deliver\$4 and public adj key same encryption	EPO; JPO; DERWENT	OR	ON	2004/12/10 10:34
S34	4	(parcel or package) near deliver\$4 and encryption	EPO; JPO; DERWENT	OR	ON	2004/12/10 10:34
S35	73	(package or parcel) near deliver\$4 same scanner and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 13:48

S36	8	(package or parcel) near deliver\$4 same scanner and @ad<"20010301" and encryption	US-PGPUB; USPAT	OR	ON	2004/12/10 13:55
S37	0	(package or parcel) near deliver\$4 same scanner and @ad<"20010301" and crypto\$8	US-PGPUB; USPAT	OR	ON	2004/12/10 13:51
S38	7	(package or parcel) near deliver\$4 same scanner and @ad<"20010301" and authenticat\$4	US-PGPUB; USPAT	OR	ON	2004/12/10 13:52
S39	894	(package or parcel) near deliver\$4 and (computer network) and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 13:53
S40	162	(package or parcel) near deliver\$4 and (computer adj network) and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 13:53
S41	48	(package or parcel) near deliver\$4 and (computer adj network same server) and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 13:53
S42	78	(package or parcel) near deliver\$4 and @ad<"20010301" and encryp\$6 same computer	US-PGPUB; USPAT	OR	ON	2004/12/10 14:04
S43	40	(package or parcel) near deliver\$4 and @ad<"20010301" and encryp\$6 same computer NOT meter\$6	US-PGPUB; USPAT	OR	ON	2004/12/10 14:05
S44	34	(package or parcel) near deliver\$4 and @ad<"20010301" and decrypt\$6 same computer NOT meter\$6	US-PGPUB; USPAT	OR	ON	2004/12/10 14:07
S45	12	(package or parcel) near deliver\$4 and @ad<"20010301" and decrypt\$6 same computer same server NOT meter\$6	US-PGPUB; USPAT	OR	ON	2004/12/10 14:07
S46	0	decryption adj server and package adj delivery and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 15:08
S47	20	decrypt\$6 near3 server and package adj delivery and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 15:27
S48	45	client near3 server and package adj delivery and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 15:29
S49	22	client near3 server same address and package adj delivery and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 15:29
S50	0	merchant near3 print same encryp\$6 and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 16:44
S51	66	merchant near3 print and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 16:44

S52	5	merchant near3 print same label and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 16:56
S53	0	(merchant or sender or shipper or (sending or shipping) adj company) near3 print same label same (crypto\$8 or encryp\$6) and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 16:57
S54	21	(merchant or sender or shipper or (sending or shipping) adj company) near3 print same label and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 17:00
S55	2017	(merchant or sender or shipper or (sending or shipping) adj company) same (crypto\$8 or encryp\$6) and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 17:01
S56	41	(merchant or sender or shipper or (sending or shipping) adj company) same (crypto\$8 or encryp\$6) same label and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 17:01
S57	0	scan adj time adj delivery	US-PGPUB; USPAT	OR	ON	2004/12/10 20:09
S58	0	decrypt adj time adj delivery	US-PGPUB; USPAT	OR	ON	2004/12/10 20:09
S59	3	decrypt near2 delivery and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 20:10
S60	6	decrypt near3 delivery and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 20:10
S61	119	(decrypt or decode) near3 (buyer or recipient or receiver or purchaser or client) same deliver\$4 and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/10 20:22
S62	76	(decrypt or decode) near2 (buyer or recipient or receiver or purchaser or client) same deliver\$4 and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 10:51
S63	93	(decrypt or decode) near2 (buyer or recipient or receiver or purchaser or client) same address and deliver\$4 and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 10:52
S64	9	(decrypt or decode) near2 (buyer or recipient or purchaser) same address and deliver\$4 and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 13:55
S67	16	"united parcel service" and scan near3 deliver\$4	US-PGPUB; USPAT	OR	ON	2004/12/11 11:01
S68	0	anonymous near2 package near2 deliver\$4	US-PGPUB; USPAT	OR	ON	2004/12/11 11:02
S69	120	anonymous near2 deliver\$4	US-PGPUB; USPAT	OR	ON	2004/12/11 11:02

S70	33	anonymous near2 deliver\$4 and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 11:02
S71	3	encrypt near private and (parcel or package) near deliver\$4 and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 13:05
S72	28	encrypt near private and (parcel or package) and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 13:05
S73	3	(decrypt or decode) near2 (buyer or recipient or purchaser) and package near deliver\$4 and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 13:55
S74	4	(decrypt or decode) near2 (buyer or recipient or purchaser) and package near2 deliver\$4 and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 13:55
S75	10466	(mail package parcel) and server and encryption	US-PGPUB; USPAT	OR	ON	2004/12/11 15:04
S76	1683	(mail package parcel) and server same encryption and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 15:04
S77	876	(package or parcel) and server same encryption and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 15:04
S78	126	(package or parcel) same server same encryption and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 15:06
S79	135	(713/179).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/11 15:06
S80	22	S79 and (package or parcel)	US-PGPUB; USPAT	OR	ON	2004/12/11 15:06
S81	134	digital adj signature same (mailpiece or mail adj piece)	US-PGPUB; USPAT	OR	ON	2004/12/11 16:35
S82	68	digital adj signature same (mailpiece or mail adj piece) and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 16:35
S83	86	zip adj code same (decrypt\$4 or decode\$4 or decipher\$4) and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 17:21
S84	8433	routing and (encrypt\$4 or decrypt\$4 or autoriz\$6) and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 17:43
S85	1688	routing same (encrypt\$4 or decrypt\$4 or autoriz\$6) and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 17:43
S86	303	routing same decrypt\$4 and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 17:43

S87	3	routing same decrypt\$4 and @ad<"20010301" and package near2 deliver\$4	US-PGPUB; USPAT	OR	ON	2004/12/11 17:44
S88	74	routing and decrypt\$4 and @ad<"20010301" and package near2 deliver\$4	US-PGPUB; USPAT	OR	ON	2004/12/11 17:44
S89	23	rout\$4 near2 package and decrypt\$4 and @ad<"20010301" and package near2 deliver\$4	US-PGPUB; USPAT	OR	ON	2004/12/11 17:45
S90	0	rout\$4 near2 package same zip and decrypt\$4 and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 17:46
S91	21	rout\$4 near2 package same zip and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 17:46
S92	1	(encrypt or encode or enchiper) adj (mailer\$4 or sender\$) near3 address	US-PGPUB; USPAT	OR	ON	2004/12/11 18:49
S93	3	(encrypt or encode or enchiper) adj2 (mailer\$4 or sender\$) near3 address	US-PGPUB; USPAT	OR	ON	2004/12/11 18:51
S94	2	(encrypt or encode or enchiper) near (mailer\$4 or sender\$) near3 address	US-PGPUB; USPAT	OR	ON	2004/12/11 18:52
S95	5	(encrypt or encode or enchiper) near2 (mailer\$4 or sender\$) near3 address	US-PGPUB; USPAT	OR	ON	2004/12/11 18:52
S96	5	(encrypt or encode or enchiper) near2 (mailer\$4 or sender\$4) near3 address	US-PGPUB; USPAT	OR	ON	2004/12/11 18:53
S97	8	(parcel or mailpiece) adj delivery and encrypt with address	US-PGPUB; USPAT	OR	ON	2004/12/11 18:55
S98	19	(parcel or package or mailpiece) adj delivery and encrypt with address	US-PGPUB; USPAT	OR	ON	2004/12/11 19:00
S99	19	(parcel or package or mailpiece) adj delivery and (encrypt or encipher) with address	US-PGPUB; USPAT	OR	ON	2004/12/11 18:55
S100	30	(parcel or package or mailpiece) near deliver\$4 and encrypt with address	US-PGPUB; USPAT	OR	ON	2004/12/11 19:00
S101	21	(parcel or package or mailpiece) near2 deliver\$4 and encrypt with address and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/11 19:01
S102	3	encrypt\$4 near (sender\$4 or mailer\$4) near address\$4	US-PGPUB; USPAT	OR	ON	2004/12/13 08:36
S103	5	(scan or read) adj before adj deliver\$4	US-PGPUB; USPAT	OR	ON	2004/12/13 08:37
S104	68	(scan or read) near2 deliver\$4 same package	US-PGPUB; USPAT	OR	ON	2004/12/13 08:37

S10 5	13	(scan or read) near2 deliver\$4 same mailpiece	US-PGPUB; USPAT	OR	ON	2004/12/13 08:39
S10 6	41	(scan or read) near2 deliver\$4 same (package or parcel) and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/13 08:45
S10 7	0	scan near prior near2 deliver\$4	US-PGPUB; USPAT	OR	ON	2004/12/13 09:16
S10 8	2	read near prior near2 deliver\$4	US-PGPUB; USPAT	OR	ON	2004/12/13 09:16
S10 9	0	scan adj encrypt\$4 near2 address	US-PGPUB; USPAT	OR	ON	2004/12/13 09:17
S11 0	0	scan near2 encrypt\$4 near2 address	US-PGPUB; USPAT	OR	ON	2004/12/13 09:17
S11 1	0	scan near2 encrypt\$4 near2 deliver\$4	US-PGPUB; USPAT	OR	ON	2004/12/13 09:17
S11 2	7	scan near2 deliver\$4 near2 address	US-PGPUB; USPAT	OR	ON	2004/12/13 09:17
S11 3	172	scan adj2 deliver\$4 and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/13 10:12
S11 4	4	scan adj2 deliver\$4 and @ad<"20010301" and parcel	US-PGPUB; USPAT	OR	ON	2004/12/13 10:18
S11 5	1	scan adj2 deliver\$4 and @ad<"20010301" and mailpiece	US-PGPUB; USPAT	OR	ON	2004/12/13 10:13
S11 7	10	track\$4 same scan near2 deliver\$4 and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/13 10:21
S11 8	0	scan with deliver\$4 and @ad<"20010301" same (parcel or package or mailpiece)	US-PGPUB; USPAT	OR	ON	2004/12/13 10:21
S11 9	1929	scan with deliver\$4 and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/13 10:21
S12 0	227	scan with deliver\$4 and @ad<"20010301" and (parcel or package or mailpiece)	US-PGPUB; USPAT	OR	ON	2004/12/13 10:22
S12 1	0	scan with deliver\$4 and @ad<"20010301" same (barcode or bar adj code)	US-PGPUB; USPAT	OR	ON	2004/12/13 10:22
S12 2	76	scan near3 deliver\$4 and @ad<"20010301" and (parcel or package or mailpiece)	US-PGPUB; USPAT	OR	ON	2004/12/13 10:23
S12 3	6	scan near3 deliver\$4 near3 (parcel or package or mailpiece) and @ad<"20010301"	US-PGPUB; USPAT	OR	ON	2004/12/13 10:24